

▶ HANGING WIRES AND HOOKS



FLEXIBLE
SAFE
STRONG

Credits: @huisjeboompjelijefde


HANGING WIRES

In addition to the different hanging systems that Artiteq offers, there are (small) essential parts that are needed to actually hang the painting or wall decoration you want on the chosen rail. For example, there are various types of hanging wires and hooks to choose from, depending on your chosen rail and the weight of your painting or wall decoration.



TWISTER™

MAX.
20 KG




1

SIMPLE-SAFE-STRONG

Artiteq developed the Twister glider system for all its hanging rails. Twister offers the most Logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems. The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.

TWISTER™

Twister is a European Registered Community Design.



HANGING WIRES

TWISTER™ CLIQ2FIX_{perlon}

MAX.
20 KG



2

EXTRA EASE-OF-USE

Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.





SOLID SLIDER

MAX.
20 KG

SLIDER ECONOMY not visible in the rail

MAX.
15 KG



3

SLIDE INTO SIDE

Artiteq developed the Solid Slider system which attaches the hanging wire with glider via the side of the rail. This system is available for 2 mm perlon and 2 mm steel wire. The hanging wire may be freely slid into the hanging rail, yet may not be removed from the rail as easily. Hanging wires with the Solid Slider mechanism are available in lengths of 100, 150, 200, 250, 300 en 500 cm. A slanted stop system is available for slanted walls. This system makes it possible to use a flexible picture hanging system even with slanted walls, for example in a staircase.




HANGING WIRES



1 mm vs 2 mm hanging wires

Artiteq offers the Twister hanging wires in two different thicknesses; 1 mm and 2 mm. Both perlon and steel wire hanging wires are available in the two different thicknesses. The steel wire black hanging wires are only available in 1 mm.

The choice of choosing 1 mm hanging wires depends on one's own requirements. The smaller the diameter of the hanging wire, the less visible it is. Especially with the perlon hanging wires, the choice for 1 mm can be preferable. To hang a frame or wall decoration as invisible as possible.



HANGING WIRES

1 mm					
TWISTER 1 mm					
30.21150	TWISTER	1 mm	PERLON	150 cm	
30.21200	TWISTER	1 mm	PERLON	200 cm	
30.21300	TWISTER	1 mm	PERLON	300 cm	
30.22150	TWISTER	1 mm	STEEL	150 cm	
30.22200	TWISTER	1 mm	STEEL	200 cm	
30.22300	TWISTER	1 mm	STEEL	300 cm	
09.63150	TWISTER	1 mm	STEEL BLACK	150 cm	
09.63200	TWISTER	1 mm	STEEL BLACK	200 cm	
09.63300	TWISTER	1 mm	STEEL BLACK	300 cm	

2 mm					
TWISTER 2 mm					
09.23100	TWISTER	2 mm	PERLON	100 cm	
09.23150	TWISTER	2 mm	PERLON	150 cm	
09.23200	TWISTER	2 mm	PERLON	200 cm	
09.23250	TWISTER	2 mm	PERLON	250 cm	
09.23300	TWISTER	2 mm	PERLON	300 cm	
09.23500	TWISTER	2 mm	PERLON	500 cm	
09.33100	TWISTER	2 mm	STEEL	100 cm	
09.33150	TWISTER	2 mm	STEEL	150 cm	
09.33200	TWISTER	2 mm	STEEL	200 cm	
09.33250	TWISTER	2 mm	STEEL	250 cm	
09.33300	TWISTER	2 mm	STEEL	300 cm	
09.33500	TWISTER	2 mm	STEEL	500 cm	
9.4196	TWISTER	2 mm	ROD WHITE	100 cm	
9.4198	TWISTER	2 mm	ROD WHITE	200 cm	

2 mm					
TWISTER CLIQ2FIX PERLON					
09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	100 cm	
09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	150 cm	
09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	200 cm	
09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	250 cm	
09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	300 cm	











2 mm					
SOLID SLIDER					
08.23100	SOLID SLIDER	2 mm	PERLON	100 cm	
08.23150	SOLID SLIDER	2 mm	PERLON	150 cm	
08.23200	SOLID SLIDER	2 mm	PERLON	200 cm	
08.23250	SOLID SLIDER	2 mm	PERLON	250 cm	
08.23300	SOLID SLIDER	2 mm	PERLON	300 cm	
08.23500	SOLID SLIDER	2 mm	PERLON	500 cm	
08.43100	SOLID SLIDER	2 mm	STEEL	100 cm	
08.43150	SOLID SLIDER	2 mm	STEEL	150 cm	
08.43200	SOLID SLIDER	2 mm	STEEL	200 cm	
08.43250	SOLID SLIDER	2 mm	STEEL	250 cm	
08.43300	SOLID SLIDER	2 mm	STEEL	300 cm	
08.43500	SOLID SLIDER	2 mm	STEEL	500 cm	




HOOKS

Depending on the weight of a frame or other wall decoration, the right picture hook must be selected. The wide product range offers hooks with maximum load capacities varying from 4 kg to 20 kg.

						
		30.41200 20 kg	30.41250 20 kg	30.41100 10/5 kg	9.4264 15 kg	9.4261 15 kg
		AUTO GRIP	AUTO GRIP	AUTO GRIP	AUTO GRIP	AUTO GRIP
		LOCK		LOCK		
TWISTER 1 mm PERLON 150 / 200 / 300 cm				✓		
TWISTER 1 mm STEELWIRE 150 / 200 / 300 cm				✓		
TWISTER 1 mm STEELWIRE BLACK 150 / 200 / 300 cm				✓		
TWISTER 2 mm PERLON 100 / 150 / 200 250 / 300 / 500 cm		✓	✓		✓	✓
TWISTER 2 mm STEELWIRE 100 / 150 / 200 250 / 300 / 500 cm		✓	✓		✓	✓
TWISTER 2 mm 2 mm ROD WHITE 100 / 200 cm		✓	✓			✓
TWISTER CLIQ2FIX 2 mm PERLON 100 / 150 / 200 250 / 300 cm		✓	✓		✓	✓
SOLID SLIDER 2 mm PERLON* 100 / 150 / 200 250 / 300 / 500 cm vanaf zijkant in te brengen		✓	✓		✓	✓
SOLID SLIDER 2 mm STEELWIRE* 100 / 150 / 200 250 / 300 / 500 cm vanaf zijkant in te brengen		✓	✓		✓	✓

						
		9.4208 10 kg	9.4219 7 kg	9.4209 7 kg	9.4207 5 kg	9.4205 4 kg
		MANUAL	MANUAL	MANUAL	MANUAL	MANUAL
TWISTER 2 mm PERLON 100 / 150 / 200 250 / 300 / 500 cm		✓	✓	✓	✓	✓
TWISTER 2 mm ROD WHITE 100 / 200 cm					✓	
TWISTER CLIQ2FIX 2 mm PERLON 100 / 150 / 200 250 / 300 cm		✓	✓	✓	✓	✓
SOLID SLIDER 2 mm PERLON* 100 / 150 / 200 250 / 300 / 500 cm insert from the side		✓	✓	✓	✓	✓



The maximum weight carrying capacity of a picture hook is only valid when the frame is correctly applied to the hook. This illustration shows how to correctly charge the picture hook.

MICRO GRIP











Micro Grip represents the newest generation of hooks. A high-quality plastic reinforced with fibreglass was chosen for this hook, leading to a 70% reduction in the use of materials compared with previous generations of hooks. In addition to the ecological advantages, the hook is extremely lightweight as a result, and very easy to use. The **Micro Grip** technology has been developed and patented by Artiteq. To guarantee the quality of the **Micro Grip** hooks, Artiteq has developed quality assurance procedures together with TÜV Nederland. The execution is under supervision of TÜV Nederland.



- LIGHTWEIGHT
- STRONG (20 kg)
- ERGONOMIC



HOOKS

 <p>30.41200 20 kg AUTO GRIP</p>	 <p>30.41250 20 kg AUTO GRIP LOCK</p>
 <p>30.41100 10/5 kg AUTO GRIP</p>	 <p>9.4264 15 kg AUTO GRIP LOCK</p>
 <p>9.4261 15 kg AUTO GRIP</p>	 <p>9.4208 10 kg MANUAL</p>
 <p>9.4219 7 kg MANUAL</p>	 <p>9.4209 7 kg MANUAL</p>
 <p>9.4207 5 kg MANUAL</p>	 <p>9.4205 4 kg MANUAL</p>



COMBINATIONS

A picture hanging system comprises the following elements: **rail**, **hanging wire** and **hanging hook**. Artiteq guarantees the functionality of the products because it carefully coordinates the various elements of a picture hanging system. The quality can only be guaranteed when original (Artiteq) products are combined correctly. The guarantee is null and void if there are combinations other than with the correct Artiteq products. A frame or canvas will always hang more steadily if **2 hanging wires** are used.

The weight of the frame determines the choice of the hook and wire, in combination with the maximum weight carrying capacity of one metre of the rail.

INCORRECT COMBINATIONS

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **4 kg**

weight frame: **5 kg**

CORRECT COMBINATIONS

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **4 kg**

weight frame: **5 kg**

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **20 kg**

weight frame: **40 kg**

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **20 kg**

weight frame: **40 kg**

> 1 m


HANGING SETS

HANGING SETS 1 mm			HANGING SETS 2 mm			
max. 10 kg	max. 5 kg	max. 20 kg	max. 4 kg	max. 7 kg	max. 15 kg	max. 5 kg
TWISTER 1 mm STEELWIRE 150 cm + MICRO GRIP 1 mm (10 kg)	TWISTER 1 mm PERLON 150 cm + MICRO GRIP 1 mm (5 kg)	TWISTER 2 mm PERLON 150 cm + MICRO GRIP 2 mm (20 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4205 (4 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4209 (7 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4261 (15 kg)	TWISTER 2 mm PERLON 150 cm + HOOK 9.4207 (5 kg)
HANGING SET	HANGING SET	HANGING SET	HANGING SET	HANGING SET	HANGING SET	HANGING SET
30.42150	30.42100	30.42200	9.6670	9.6672	9.6674	9.6671

HANGING SETS 2 mm			STOPPER SET SLANTING WALLS	
max. 4 kg	max. 7 kg	max. 5 kg	max. 4 kg	
SLIDER 2 mm PERLON 150 cm + HOOK 4kg (9.4205)	SLIDER 2 mm PERLON 150 cm + HOOK 7kg (9.4209)	SLIDER 2 mm PERLON 150 cm + HOOK 5kg (9.4207)	SOLID SLIDER 2 mm PERLONWIRE 150 cm + HOOK 4kg (9.4205) + STOPPER SLANTING WALLS	STOPPER SLANTING WALLS
HANGING SET	HANGING SET	HANGING SET	HANGING SET	
9.9004	9.4402	9.4400	9.6645	9.4235

MISCELLANEOUS

TWISTER HOOK




Instead of a hanging wire and hook, a Twister Hook can be used. This plastic hook can provide an inexpensive and practical solution for hanging light panels in combination with a picture hanging system.



MISCELLANEOUS

LOOP MAKER



The Loop Maker offers a solution for hanging objects if a hook cannot be used. As it is possible to create a loop with the 2-mm perlon hanging wire, it is possible to hang much more than just a picture frame!



MISCELLANEOUS

PICTURE MOUSE



	PICTURE MOUSE WHITE	PICTURE MOUSE STEEL
	150 cm	150 cm
ARTICLE NO.	7805.014	7805.016
COMPATIBLE WITH ALL ARTITEQ PICTURE HANGING SYSTEMS		

Picture Mouse is a handy and original hanging cord for displaying several documents, such as cards and photos. It can also be used as a 'solo' version rather than as part of a picture hanging system. The Picture Mouse Solo system is simple to install by mounting the wall clip to the wall. The steel Picture Mouse cord can be inserted and is hung from the wall clip.

PICTURE MOUSE SOLO (COMPLETE SET)

	1x	1x	10x
	PICTURE MOUSE WHITE	WALL CLIP + COVER (WITH FASTENER MATERIAL)	PICTURE CLIP TRANSPARENT
	150 cm		
ARTICLE NO.	7840.100		

As well as the transparent clips, magnets can also be used on the Picture Mouse cord. The Mouse Magnets, available in white or in colour, combine perfectly with the Picture Mouse cord.

	MOUSE MAGNETS WHITE	MOUSE MAGNETS COLOUR	
	PICTURE CLIP TRANSPARENT		
ARTICLE NO.	7805.007	7430.020	7430.010

