
HANGING WIRES AND HOOKS **HANGING WIRES**

In addition to the different hanging systems that Artiteq offers, there are (small) essential parts that are needed to actually hang the painting or wall decoration you want on the chosen rail. For example, there are various types of hanging wires and hooks to choose from, depending on your chosen rail and the weight of your painting or wall decoration.



TWISTER







MAX.

SIMPLE-SAFE-STRONG

Artiteq developed the Twister glider system for all its hanging rails. Twister offers the most Logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems. The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.





2 mm

1 mm

HANGING WIRES AND HOOKS **HANGING WIRES**

TWISTER CLIQ2FIX perfor





EXTRA EASE-OF-USE

Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.



SOLID SLIDER





SLIDE INTO SIDE

Artiteq developed the Solid Slider system which attaches the hanging wire with glider via the side of the rail. This system is available for 2 mm perlon and 2 mm steel wire. The hanging wire may be freely slid into the hanging rail, yet may not be removed from the rail as easily. Hanging wires with the Solid Slider mechanism are available in lengths of 100, 150, 200, 250, 300 en 500 cm. A slanted stop system is available for slanted walls. This system makes it possible to use a flexible picture hanging system even with slanted walls, for example in a staircase.





installation video

60 | ARTITEQ.COM

MAX **20** KG








2 mm

HANGING WIRES AND HOOKS **HANGING WIRES**



1 mm vs 2 mm hanging wires

Artiteq offers the Twister hanging wires in two different thicknesses; 1 mm and 2 mm. Both perlon and steel wire hanging wires are available in the two different thicknesses. The steel wire black hanging wires are only available in 1 mm.

The choice of choosing 1 mm hanging wires depends on one's own requirements. The smaller the diameter of the hanging wire, the less visible it is. Especially with the perlon hanging wires, the choice for 1 mm can be preferable. To hang a frame or wall decoration as invisible as possible.



1 mm



1 mm



1 mm



2 mm

HANGING WIRES AND HOOKS **HANGING WIRES**

	1 mm				
₹1 mm					
	30.21150	TWISTER	1 mm	PERLON	150 cm
	30.21200	TWISTER	1 mm	PERLON	200 cm
T T	30.21300	TWISTER	1 mm	PERLON	300 cm
TT	30.22150	TWISTER	1 mm	STEEL	150 cm
	30.22200	TWISTER	1 mm	STEEL	200 cm
	30.22300	TWISTER	1 mm	STEEL	300 cm
	09.63150	TWISTER	1 mm	STEEL BLACK	150 cm
	09.63200	TWISTER	1 mm	STEEL BLACK	200 cm
	09.63300	TWISTER	1 mm	STEEL BLACK	300 cm

2 mm

122	09.23100	TWISTER	2 mm	PERLON	100 cm
1	09.23150	TWISTER	2 mm	PERLON	150 cm
ſ	09.23200	TWISTER	2 mm	PERLON	200 cm
T .	09.23250	TWISTER	2 mm	PERLON	250 cm
I	09.23300	TWISTER	2 mm	PERLON	300 cm
	09.23500	TWISTER	2 mm	PERLON	500 cm
I	09.33100	TWISTER	2 mm	STEEL	100 cm
I	09.33150	TWISTER	2 mm	STEEL	150 cm
	09.33200	TWISTER	2 mm	STEEL	200 cm
	09.33250	TWISTER	2 mm	STEEL	250 cm
	09.33300	TWISTER	2 mm	STEEL	300 cm
	09.33500	TWISTER	2 mm	STEEL	500 cm
	9.4196	TWISTER	2 mm	ROD WHITE	100 cm
	9.4198	TWISTER	2 mm	ROD WHITE	200 cm



	2 mm							
TWISTER CLIQ2FIX PERLON								
	09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	100 cm			
	09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	150 cm			
	09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	200 cm			
	09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	250 cm			
	09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	300 cm			
	2 mm							
SOLID SLIDER								
Water and	08.23100	SOLID SLIDER	2 mm	PERLON	100 cm			
TT	08.23150	SOLID SLIDER	2 mm	PERLON	150 cm			
	08.23200	SOLID SLIDER	2 mm	PERLON	200 cm			
	08.23250	SOLID SLIDER	2 mm	PERLON	250 cm			
	08.23300	SOLID SLIDER	2 mm	PERLON	300 cm			

08.23500 SOLID SLIDER 2 mm PERLON

SOLID SLIDER 2 mm

SOLID SLIDER 2 mm

08.43100 SOLID SLIDER 2 mm

08.43250 SOLID SLIDER 2 mm

08.43300 SOLID SLIDER 2 mm

08.43500 SOLID SLIDER 2 mm

08.43150

08.43200

500 cm

100 cm

150 cm

200 cm

250 cm

300 cm

500 cm

STEEL

STEFI

STEEL

STEEL


STEEL

STEEL

HANGING WIRES AND HOOKS

A picture hanging system comprises the following elements: **rail, hanging wire** and **hanging hook**. Artiteq guarantees the functionality of the products because it carefully coordinates the various elements of a picture hanging system. The quality can only be guaranteed when original (Artiteq) products are combined correctly. The guarantee is null and void if there are combinations other than with the correct Artiteq products. A frame or canvas will always hang more steadily if **2 hanging wires** are used.

The weight of the frame determines the choice of the hook and wire, in combination with the maximum weight carrying capacity of one metre of the rail.



HANGING WIRES AND HOOKS





STOPPER SET SLANTING WALLS

